

Remote Patient Monitoring Based on IoT Technologies

Sabina M. Nobari¹  and Fidan Arzumanova¹ 

¹ Department of Information Technologies, School of Advanced Technologies and Innovation Engineering, Western Caspian University, 17 A, Ahmad Rajabli Street, III Parallel, AZ1072 Baku, Azerbaijan

Received: 20.02.2026

Accepted: 28.02.2026

Published: 31.03.2026

<https://doi.org/10.54414/HLTF9583>

Copyright: © 2026 by the authors.
Licensee: Journal of Smart Technologies and Computational Systems, Western Caspian University, Baku, Azerbaijan. This article is an open-access article distributed under the terms and conditions of the Creative Commons Attribution 4.0 International License (CC BY 4.0).

Abstract: The rapid advancement of Internet of Things (IoT) technology is revolutionizing traditional healthcare infrastructure, offering innovative solutions, especially in the field of Remote Patient Monitoring (RPM). This article extensively discusses the entire lifecycle of IoT-based RPM systems, including their fundamental principles and architecture, applications, associated technology, challenges, and future scope. According to various studies, not only does this help in the betterment of patient health, but it is also economically viable to the system, helping in the reduction of hospital and overall healthcare expenses. In this article, the importance of RPM in the treatment and monitoring of chronic diseases, its applications in the care and monitoring of elderly patients, and in cardiology and post-operative care have been discussed in detail. But for the widespread adoption of IoT-based RPM, various factors need to be considered, including data security, regulatory issues, and technological synergies. In addition, the importance and future scope of various techniques and technologies, including TinyML, Federated Learning, and Blockchain, have been discussed.

Keywords: remote patient monitoring, IoT, AI, edge computing, federated learning, TinyML, data security, healthcare informatics, wearable technologies, telemedicine

1. Introduction

With an aging global population and the rise of chronic illnesses, the current healthcare system is under growing pressure to deliver sustainable and effective care services. Cardiovascular disease, diabetes, and chronic obstructive pulmonary disease are among the conditions that contribute substantially to the global burden of disease. The conventional and reactive medical approach may encounter difficulties such as delayed diagnosis and high costs. To collaborate with this issue, the current healthcare system requires a revolutionary approach that can extend healthcare services beyond the hospital walls [1].

RPM refers to the capability to continuously collect, transmit, analyze, and interpret patients' physiological information (such as heart rate, blood pressure, and glucose levels) in their homes or during their daily activities through IoT devices. It signifies a paradigm shift from reactive to proactive and sophisticated medical practice. Research has demonstrated that RPM initiatives can decrease hospital readmissions by up to 50% for patients with conditions such as heart failure and chronic obstructive pulmonary disease (COPD).

The objective of this article is to present a detailed analysis of the IoT-based RPM ecosystem. We will discuss its technology architecture, overall benefits, various application areas, challenges it currently faces, and future trends of IoT-based RPM systems. In addition to this, examples and statistics will be used to show the actual impact of these systems.

2. Technical Architecture of IoT-Based RPM Systems

IoT-based RPM systems possess a sophisticated yet well-organized modular technology architecture with various layers involved. Each of these components will be discussed in detail below:

2.1. Sensory Rugged and Wearable Devices

- It is the first point of contact between the physical world and digital information. Modern RPM sensors have evolved from simple temperature monitors to more complex, multi-parameter devices. Examples include:
- Electrocardiogram (ECG / EKG) patches: Devices that can be brought in externally and record the heart rhythm continuously for a week or more (e.g., Zio® patch).
- Wearable glucose monitors (CGM): Sensors (e.g., Dexcom G6, FreeStyle Libre) that measure glucose levels in the fluid under the skin and transmit the data to a smartphone [2].
- Smart watches and fitness trackers: Many commercial products, such as the Apple Watch (which can detect atrial fibrillation) [3]. Fitbit and Garmin devices are integrated into personal health monitoring.
- Smart blood pressure cuffs and pulse oximeters: Bluetooth-enabled devices that sync data directly to cloud platforms.

These devices are controlled by low-power microcontrollers (e.g., ARM Cortex-M series) optimized for energy efficiency and use communication protocols such as Bluetooth Low Energy (BLE), Wi-Fi, Zigbee, or Insect Network (LoRaWAN).

2.2. Network and Edge/Fog Computing Layers

The data stream collected from the sensors is transmitted to the processing through the network layer. Here, an important concept that departs from the traditional "sensor-cloud" model is Edge and Fog Computing [4].

1. Edge Computing: Pre-processing data at the point of origin (for example, on the patient's smartphone or a special gateway device). This is used to filter out noisy data, detect anomalies (such as a sudden increase in heart rate) for basic alerting, and transfer only meaningful data or aggregated statistics to the cloud. This can reduce network throughput by up to 60% and minimize latency [5].
2. Fog Computing: It is an intermediate layer between the Edge and the cloud, such as a hospital network using local servers. It provides more computing power for more complex analytics or aggregation of information across multiple patients.

2.3. Cloud Platform and Data Analytics

The cloud is the "brain" of the RPM system. It is a scalable storage and computing resource. Here, the data is cleaned, structured, and prepared for analysis. Artificial Intelligence (AI) and Machine Learning (ML) are critical at this point [6].

Predictive Models: These algorithms can predict future events related to health, like hypertensive crisis or hypoglycemia.

Anomaly Detection: This automatically identifies behaviors that are not within the patient's normal baseline.

Personalized Recommendations: These may provide lifestyle recommendations or changes to medication dosages based on the patient's condition.

Doctors and nurses use this cloud-based platform to access patient information, trends, and alerts generated by the AI system via a web interface or mobile application.

2.4. User Interface (UI) and Notification System

The final element of an effective RPM system is a clear, action-oriented interface. It is intended for both the medical staff and the patient. For medical staff, dashboards display a list of patients, their risk levels (e.g., color-coded), and alerts that require immediate intervention. Apps for patients show their own information, progress, and personalized recommendations. The alert system notifies both the patient and their doctor immediately of critical situations via email, SMS, or app notifications.

3. Advantages and Effects of RPM

Implementing an IoT-based RPM leads to multiple benefits for all stakeholders – patients, healthcare providers, and insurers.

3.1. Benefits for Patients

Improved Quality of Life and Comfort: Patients can often stay in the comfort of their own homes, avoiding the stress and anxiety of going to the hospital. This is especially beneficial for patients with weakened immune systems or limited mobility.

Enhanced Patient Education and Self-Care: The ability to view their own real-time data makes patients more involved in managing their own health, encouraging them to make healthier lifestyle choices [7].

Earlier Intervention and Better Outcomes: Continuous monitoring detects potential problems long before symptoms appear, meaning treatment can be quicker and more effective.

3.2. Benefits for Health Care Providers

Decision Support and Proactive Care: RPM provides physicians with objective, quantitative data to inform their clinical decisions. Instead of relying on the complaints of the patients, they can act on the basis of trends that have been supported by data.

Efficient Allocation of Labor and Resources: RPM helps in the efficient allocation of medical staff's time and resources to those patients who require it. Research has proven that with the help of RPM, 4-5 times more patients can be managed by the nursing staff compared to conventional practices [8].

Increasing Revenue Streams: In the US, as well as other countries, insurance companies, like Medicare's payment codes for "Remote Monitoring of Chronic Disease Patients," pay for RPM services, thus providing a new revenue stream to medical providers.

3.3. Benefits for Healthcare Systems

Reduced Hospital Readmissions and Costs: Better management and early intervention dramatically reduce the number of short-term hospital admissions and readmissions. For example, RPM programs for heart failure have been shown to reduce rehospitalization rates by 30-50% [9]. **Improved Patient Satisfaction:** A comfortable, proactive, and personalized care experience significantly improves overall patient satisfaction.

3.4. Application Areas and Real World Examples

The application of RPM is widespread among different clinical specialties and disease categories:

Chronic Disease Management Diabetes: Continuous Glucose Monitors (CGMs) provide real-time glucose readings, pinpoint insulin doses, and help prevent dangerous hyper- and hypoglycemia. Studies show that patients using CGM experience significant reductions in HbA1c levels [2].

Hypertension and Cardiovascular Diseases: Home blood pressure monitors share data directly with the doctor, allowing to assess the effectiveness of medication and making decisions about dietary or lifestyle changes.

Chronic Obstructive Pulmonary Disease (COPD): Pulse oximeters and smart inhalers monitor pulse oxygen levels and medication use, helping predict flare-ups.

4. Postoperative Rehabilitation

After surgery, patients are often discharged home, but parameters such as their level of movement, pain level, and heart rate can be monitored remotely. This allows problems to be detected quickly (e.g., signs of infection) and makes sure that physiotherapy plans are followed.

4.1. Home Care of the Elderly and the Chronically III

Smart home sensors (location sensors, bed sensors, door/key sensors) can monitor daily activities and behavioral changes. For example, a sudden change in standing time may indicate an impending infection. This allows the elderly to continue to live independently while keeping them safe.

4.2. Clinical Studies (Clinical Studies)

RPM can dramatically improve clinical research. Instead of data collected once a month in traditional research centers, researchers can collect real-time, continuous, objective data from the practice group. This allows for a more accurate assessment of drug effectiveness and reduces the duration and costs of research [10].

4.3. Mental Health: Behavioral Monitoring for Depression and Anxiety

Mental health disorders, especially depression and anxiety, are considered to be one of the major reasons for disability in the world. However, traditional mental health services also have limitations like resource availability, stigma, and travel issues for traditional in-person consultations. IoT technology has revolutionary potential in providing RPM services to meet the unmet need in mental health by quantitatively and objectively monitoring mental health [11].

Technologies Used:

Physiological Data: Smartwatches and wearable technology can track heart rate variability (HRV) on a constant basis. This is an accurate physiological measure of stress and anxiety levels [12]. Digestion, sweating, and body temperature changes can also be indicators of emotional conditions.

Behavioral Data: Activity and Sleep: Accelerometers record daily steps, physical activity level, and sleep patterns (with periods of inactivity). Decreased physical activity and sleep disturbances are the main symptoms of depression [13].

Social Interactions: Social activity and communication frequency can be indirectly assessed using smartphone data (call logs, text messages, social media usage). Social isolation is an important risk factor for depression [14].

Voice Analysis: The microphone can (with user permission) analyze speech patterns, pitch, speech rate, and frequency. Monotonous speech or decreased speaking energy may be indicative of depressive episodes [15].

Location Data: GPS data helps to determine whether the patient leaves the house, strays away from their daily interests (e.g., not going to work) [16].

Advantages: Objective and Continuous Measurement: Instead of relying on the patient's subjective memories in traditional "once a month" therapy sessions, the therapist obtains objective, quantitative data about the patient's daily life [17].

Early Warning: Negative changes in behavior can be detected before the onset of a full depressive episode, allowing timely psychological support or therapy sessions to be scheduled [18].

Increased Self-Awareness: By seeing their own information, patients can better understand the relationship between stress and mood, and develop self-care skills. Evaluation of Treatment Effectiveness: The therapist can evaluate the effectiveness of a particular therapy method based on objective physiological and behavioral data of the patient.

4.4. Oncology: Home Monitoring of Cancer Patients

Oncology is one of the most complex and demanding areas where Remote Patient Monitoring (RPM) can fully deliver its potential. Cancer patients often undergo heavy treatment regimens (chemo- and radiotherapy), which cause numerous side effects such as weakness, pain, nausea and severe weakening of the immune system. The traditional model leaves patients alone between treatments, risking serious side effects that are often detected late and result in emergency hospital admissions. IoT-based RPM is transforming oncology care by moving the bulk of treatment to the patient's home, improving both quality and reducing hospital burden [19].

Symptom and Side Effect Management: Patients regularly record their symptoms (pain, nausea, fatigue, loss of appetite) through special mobile applications (ePRO - electronic Patient Reported Outcomes). Algorithms can analyze this data to predict serious side effects (eg, dehydration, neuropenia) [20].

5. Challenges, Limitations, and Solutions

Widespread adoption of RPM still faces a number of obstacles:

Data Privacy and Security: Health information is extremely sensitive

Cyber attacks pose a huge risk. Problem: Weak encryption, unauthorized data access, and data breaches.

Potential Solutions:

Strong Encryption: Encrypt data at rest and in motion (e.g., AES-256).

Instead, the ML model is trained (e.g., on the patient's smartphone) on local data, and only model updates (weights) are sent to the hub. This ensures that private data never leaves the device [21].

Technological Reliability and Accuracy

Problem: Sensor errors, signal loss, battery life limitations, and false alerts (both false negatives and false positives) can harm clinical reliability.

Potential Solutions:

Sensor Calibration and Validation: Routine calibration and validation of devices against clinically validated devices.

TinyML: This allows running machine learning models on small, low-power devices (such as the sensors themselves). This allows smarter sensors to filter out irrelevant data in situ, transmitting only significant events, thus reducing energy consumption and false alarms

Interoperability and Standardization

Problem: Thousands of IoT devices and software from different manufacturers create "islands of data" without standard communication protocols and data formats. This makes it difficult to easily share data from one system to another.

Potential Solutions:

Widespread adoption of industry standards such as FHIR (Fast Healthcare Interoperability Resources) can facilitate data sharing.

Infrastructure and the Digital Divide

Problem: Lack of reliable and fast internet in rural and remote areas limits the adoption of RPM. Potential Solutions: The growth of 5G technology assists in overcoming this issue by ensuring low latency and high speeds. On the other hand, the use of Edge Computing further eliminates the need for the internet.

Reception and Human Factors

Problem: Technophobia, difficult-to-use interfaces (particularly for seniors), and resistance to change may impede RPM system adoption. Potential Solutions: User-Centered Design (UCD), intuitive interfaces, and extensive training packages for patients and healthcare professionals. Future Trends and Development Directions. The future of RPM will be shaped by the integration of a number of rapidly developing technologies.

6. Deeper AI and Predictive Analytics

AI models will not only detect anomalies but also create personalized risk scores for the individual patient, moving towards hyper-personalized medical solutions. Combining multimodal data (sensory data, genetics, lifestyle) will provide more accurate predictions.

6.1. The Growing Role of Edge AI and TinyML

As computing power continues to improve and move closer to the sensor, devices can begin to carry out even more complex functions, like in-the-field classification of heart rhythm abnormalities via an EKG. This, in turn, continues to minimize power consumption and networking requirements.

6.2. Expanding Adoption of Federated Learning

As data privacy concerns increase, Federated Learning will become the standard paradigm for privacy-preserving AI, balancing the need for organizations to be able to create common models with sharing specific data.

6.3. Advanced Security Technologies As concerns about the security of Quantum Computing increase, Post-Quantum Cryptography (PQC) algorithms will be essential to protect data from future threats.

6.4. Integration of Extended (XR) and Metaverse

Future RPM systems may include Augmented Reality (AR/VR) interfaces where doctors can conduct virtual consultations and visualize patient data in an immersive 3D environment.

7. Conclusion

IoT-based Remote Patient Monitoring is a transformative force that is transforming healthcare systems from a reactive to a proactive and advanced model. It provides an unparalleled opportunity to improve patient outcomes, reduce costs, and increase patient satisfaction through real-time data collection, advanced analytics, and remote interactions. However, to realize this potential, we must address issues such as data security, technology reliability, technology integration, and human factors. In the future, the ongoing evolution and integration of technologies such as AI, Edge Computing, Federated Learning, and TinyML will revolutionize RPM into intelligent, safe, and comprehensive healthcare solutions. We must address the barriers to the adoption and use of such technologies by healthcare organizations, providers, and policymakers to ensure that high-quality, efficient, and person-centered healthcare is accessible to everyone.

Author Contributions

Fidan Arzumanova conducted the literature search and drafted the manuscript. Dr. Sabina M. Nobari supervised the study, provided critical guidance on content and structure, and reviewed the manuscript.

Conflict of Interest

The authors declare no conflicts of interest.

Funding

This research received no external funding.

Acknowledgment

The authors would like to thank Western Caspian University for providing support and access to resources that facilitated this review.

References

- [1] Hasanova, A. S., & Hasanova, F. S. (2026) Nano-Enabled Approaches for Pregnancy Care: Early Detection, Monitoring, and Risk Prediction.
- [2] Insler, S. R., Wakefield, B., Debs, A., Brake, K., Nwosu, I., Isaacs, D., & Lansang, M. C. (2024). Continuous glucose monitoring using the dexcom G6 in cardiac surgery during the postoperative period. *Endocrine Practice*, 30(7), 610-615.
- [3] Perez, M. V., Mahaffey, K. W., Hedlin, H., Rumsfeld, J. S., Garcia, A., Ferris, T., & Turakhia, M. P. (2019). Large-scale assessment of a smartwatch to identify atrial fibrillation. *New England Journal of Medicine*, 381(20), 1909-1917.
- [4] Shi, W., Cao, J., Zhang, Q., Li, Y., & Xu, L. (2016). Edge computing: Vision and challenges. *IEEE internet of things journal*, 3(5), 637-646.
- [5] Computing, F. (2015). the Internet of Things: Extend the Cloud to Where the Things are. *Cisco white paper*, 13.
- [6] Jiang, F., Jiang, Y., Zhi, H., Dong, Y., Li, H., Ma, S., & Wang, Y. (2017). Artificial intelligence in healthcare: past, present and future. *Stroke and vascular neurology*, 2(4).
- [7] Bhavnani, S. P., Narula, J., & Sengupta, P. P. (2016). Mobile technology and the digitization of healthcare. *European heart journal*, 37(18), 1428.
- [8] Adashi, E. Y., O'Mahony, D. P., & Cohen, I. G. (2024). Remote Patient Monitoring: A Leading Anchor of the 'Hospital-at-Home' Paradigm. *The American Journal of Medicine*, 137(2), 81-82.
- [9] Ong, M. K., Romano, P. S., Edgington, S., Aronow, H. U., Auerbach, A. D., Black, J. T., & Fonarow, G. C. (2016). Effectiveness of remote patient monitoring after discharge of hospitalized patients with heart failure: the better effectiveness after transition–heart failure (BEAT-HF) randomized clinical trial. *JAMA internal medicine*, 176(3), 310-318.
- [10] Coravos, A., Khozin, S., & Mandl, K. D. (2019). Developing and adopting safe and effective digital biomarkers to improve patient outcomes. *NPJ digital medicine*, 2(1), 14.
- [11] Torous, J., Kiang, M. V., Lorme, J., & Onnela, J. P. (2016). New tools for new research in psychiatry: a scalable and customizable platform to empower data driven smartphone research. *JMIR mental health*, 3(2), e5165.
- [12] Shaffer, F., & Ginsberg, J. P. (2017). An overview of heart rate variability metrics and norms. *Frontiers in public health*, 5, 290215.
- [13] Trull, T. J., & Ebner-Priemer, U. W. (2020). Ambulatory assessment in psychopathology research: A review of recommended reporting guidelines and current practices. *Journal of abnormal psychology*, 129(1), 56.
- [14] Saeb, S., Lattie, E. G., Schueller, S. M., Kording, K. P., & Mohr, D. C. (2016). The relationship between mobile phone location sensor data and depressive symptom severity. *PeerJ*, 4, e2537.
- [15] Cummins, N., Scherer, S., Krajewski, J., Schnieder, S., Epps, J., & Quatieri, T. F. (2015). A review of depression and suicide risk assessment using speech analysis. *Speech communication*, 71, 10-49.
- [16] Ben-Zeev, D., Scherer, E. A., Wang, R., Xie, H., & Campbell, A. T. (2015). Next-generation psychiatric assessment: Using smartphone sensors to monitor behavior and mental health. *Psychiatric rehabilitation journal*, 38(3), 218.

- [17] Insel, T. R. (2017). Digital phenotyping: technology for a new science of behavior. *Jama*, 318(13), 1215-1216.
- [18] Basch, E., Deal, A. M., Kris, M. G., Scher, H. I., Hudis, C. A., Sabbatini, P., & Schrag, D. (2016). Symptom monitoring with patient-reported outcomes during routine cancer treatment: a randomized controlled trial. *Journal of clinical oncology*, 34(6), 557-565.
- [19] Basch, E., Deal, A. M., Dueck, A. C., Scher, H. I., Kris, M. G., Hudis, C., & Schrag, D. (2017). Overall survival results of a trial assessing patient-reported outcomes for symptom monitoring during routine cancer treatment. *Jama*, 318(2), 197-198.
- [20] Konečný, J., McMahan, H. B., Ramage, D., & Richtárik, P. (2016). Federated optimization: Distributed machine learning for on-device intelligence. *arXiv preprint arXiv:1610.02527*.
- [21] Warden, P., & Situnayake, D. (2019). *Tinyml: Machine learning with tensorflow lite on arduino and ultra-low-power microcontrollers*. O'Reilly Media.